
THE SOUTH AFRICAN SPINE SOCIETY

7th Annual Congress 16 - 18 June 2005 Bloemfontein

ABSTRACT BOOKLET



MYOFASCIAL PAIN Fundamental Concepts & Workshop on:



Presented to:

DEPARTMENT OF ORTHOPAEDICS FRERE HOSPITAL EAST LONDON

25.02.2002

By:

DR. ASHTON VICE & PARTNERS

BSc, D.C. (USA.)Cert. Ac. (Illinois) Licenses: INDIANA, MICHICAN (USA.) IRELAND UK, SOUTH AFRICA Member of the BRITISH CHIROPRACTIC ASSOCIATION & G.C.C.

EAST LONDON CHIROPRACTIC CLINIC 76 BONZA BAY RD BEACON BAY 5241 SOUTH AFRICA

TEL: 083 654 3990 FAX: (043) 748 4511 AHSPC Registration No. A8459 Fractice No. 0401892 UNITED ARAB EMIRATES (By Appointment) THE LONDON SPINE & JOINT CLINIC 14 NORFOLK PLACE PADDINGTON LONDON W2 1QJ UNITED KINGDOM TEL/FAX: (0207) 706 7003

> G.C.C. Registration No. 0093 B.C.A. No. 1143

MYOFASCIAL MIMICRY OF NERVE ROOT, FACET-AND VISCERAL PAIN DIAGNOSIS

Dr Ashton Vice London Spine and Joint Clinic 14 Norfolk Place London W2 1QJ UK Email: saukuae@yahoo.co.uk

Reviewing the paper titles of the last 3 South African Spine Society Conferences, totalling roughly 65 hours of lectures, the observation was made that not a single paper dealt principally with the role of muscles in back or neck pain diagnosis.

Skeletal muscle is the largest single organ in the body, comprising 40% or more of the human body weight. It is ironic then that no single paper was presented with specific reference to the differential diagnosis of myofascial pain in the lower back and its mimicry of root, facet and visceral pain. Specific myofacial syndromes are presented.

Keywords: myofascial mimicry, nerve, facet, visceral pain. lower back pain.